Selectorized BSP09 Low Row

Product Images

Description

Binom Steel Pro BSP09 Selectorized Low Row - 100% Professional

The Binom Steel Pro BSP09 Selectorized Low Row is a machine designed to perform horizontal pulling exercises in a controlled manner with a natural movement, ideal for effectively working the latissimus dorsi, rhomboids, rear deltoids, and biceps. Its **robust structure, wide seat, and non-slip footrests** ensure a stable and secure position, adapting to users of all levels.

In addition, its design allows for a smooth and controlled movement, promoting effective muscle activation in every repetition. It is an excellent option for professional gyms seeking a balance between performance, **comfort, and adaptability**, suitable for both beginners and advanced users.

As part of the Binom Steel Pro line, this machine stands out for its solid structure, reliability, and ability to withstand intensive use, offering a stable, comfortable, and durable training experience.

We are fully confident in saying that choosing this machine guarantees a **100% reliable and precise product**. With all necessary spare parts in stock, you can save both space and money. The entire biomechanics of this equipment has been designed by top engineers and trainers to isolate muscles in the most efficient way.

Binom Steel Pro BSP09 Selectorized Low Row

GENERAL FEATURES

The machine incorporates a **fixed and stable bench** that provides a secure base during exercise execution. Its design helps maintain proper posture, facilitating body alignment and improving movement efficiency.

Thanks to its **guided motion system** using pulleys, it ensures smooth and controlled execution. This system allows safe back muscle training, reducing the risk of injury and ensuring a consistent movement path throughout the entire range.

The Binom Steel Pro line allows users to experience the same range of motion and feel as free weights, with the safety of a selectorized machine. **The machines include:**

- High-quality nylon pulleys.
- Ultra-reinforced frame structure.
- High-resistance cables designed for intensive use.
- Magnetic weight selector for quick and safe adjustments.
- Advanced manufacturing with laser cutting, robotic welding, and high-durability anti-corrosion finish.

Its **robust structure** is designed for intensive use, with a total weight of 260 kg providing excellent stability during training. Its solid construction makes it suitable for professional environments, ensuring durability and resistance to continuous use.

Our selectorized machines stand out for their **high quality and reliability**. Our products are a benchmark

for their excellent performance under intensive use. As a professional-grade machine, it delivers very high performance without putting unnecessary stress on its components.

TECHNICAL SPECIFICATIONS

- Structure: Main frame flat oval tubes of 65 × 114 mm and 40 × 70 mm.
- Robust construction with 3 mm tube thickness.
- High-performance industrial bearings.
- Front frame: D-shaped tube of 76 × 130 × 3 mm.
- 114 mm nylon pulley for smooth and quiet movement.
- Weight plates: 1 pc x 5 kg + 16 pcs x 7 kg + 2 additional pcs x 2.3 kg.
- Total plate weight: 117 kg + 4.6 kg.
- Material: High-quality Q235 steel.
- Weight: 260 kg.
- Maximum user weight: 200 kg.
- Packaging dimensions: 197 cm x 870 cm x 620 cm.
- **DIMENSIONS:** Length: 184 cm x Width: 79 cm x Height: 184 cm.

All BINOM equipment is manufactured under the highest design and quality controls to offer our customers the best quality at the best price.

Additional Information

Product line	Steel
Use	Profesional
Condition	New
Total Dimensions (cm)	L: 184 cm × W: 79 cm × H: 184 cm.
Machine Weight (Kg)	260 kg.
Total Weight of Plates	117 kg + 4.6kg.
Available on	30 Jul 2026